

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	0	(@rlad<"20040330" or @ad<"20040330") and heterogenous and configurable and router and (overlap near5 segment)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:33
L13	186	(@rlad<"20040330" or @ad<"20040330") and router and (overlap near5 segment)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:33
L14	0	(@rlad<"20040330" or @ad<"20040330") and heterogenous and router and (overlap near5 segment)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:34
L15	11	(@rlad<"20040330" or @ad<"20040330") and configurable and router and (overlap near5 segment)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:34
L16	0	(@rlad<"20040330" or @ad<"20040330") and configurable and router and (overlap near5 segment) and de\$multiplex\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:35
L17	25	(@rlad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) and de\$multiplex \$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:35
L18	0	(@rlad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) same de\$multiplex \$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:35
L19	0	(@rlad<"20040330" or @ad<"20040330") and toroidal and router and (de \$multiplex with overlap)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:40
L20	0	(@rlad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) and (demultiplex or demux) and heterogenous	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:41

L22	0	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building adj "3" block) and mux and demux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:47
L23	0	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building near3 block) and mux and demux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:47
L24	0	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building near3 block) and (multiplex or demultiplex)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:47
L25	16	((@riad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) and (demultiplex or demux)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:48
L26	17	((@riad<"20040330" or @ad<"20040330") and router and (overlap\$4 near5 segment) and (demultiplex or demux)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:57
L27	86	((@riad<"20040330" or @ad<"20040330") and (overlap\$4 near5 segment) and (demultiplex or demux)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:59
L28	39	((@riad<"20040330" or @ad<"20040330") and (overlap\$4 near5 segment) and (demultiplex or demux) and programmable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 11:59
L29	2	((@riad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) and demultiplex	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:01
L30	25	((@riad<"20040330" or @ad<"20040330") and router and (overlap near5 segment) and (demultiplex \$3 or demu or de-multiplex \$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:02
L31	1205	((@riad<"20040330" or @ad<"20040330") and router and overlap and (demultiplex\$3 or demu or de-multiplex\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:04

L32	0	((@riad<"20040330" or @ad<"20040330") and router and overlap and (demultiplex\$3 or demu or de-multiplex\$3) and heterogenous	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:04
L33	36	((@riad<"20040330" or @ad<"20040330") and router and overlap and (demultiplex\$3 or demu or de-multiplex\$3) and heterogenous	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:04
L34	436	((@riad<"20040330" or @ad<"20040330") and router and overlap and (demultiplex\$3 or demu or de-multiplex\$3) and programmable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:08
L35	1	((@riad<"20040330" or @ad<"20040330") and router and (overlap with (demultiplex\$3 or demu or de-multiplex\$3)) and programmable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:09
L36	15	((@riad<"20040330" or @ad<"20040330") and router and (overlap with (demultiplex\$3 or demu or de-multiplex\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/18 13:10
S1	169	heterogenous and scalability and (building adj "3" block)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 11:10
S2	159	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building adj "3" block)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:26
S3	1	"20050223110"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 11:16
S4	8993	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building adj "3" block) and mux adn demux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 11:31
S5	0	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building adj "3" block) and mux and demux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 11:31

S6	7	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and (building adj "3" block) and mux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 11:31
S7	0	((@rlad<"20040330" or @ad<"20040330") and configurable and scalable and (processing adj element)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 14:06
S8	1	((@rlad<"20040330" or @ad<"20040330") and configurable and scalable and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 14:08
S9	6118	((@rlad<"20040330" or @ad<"20040330") and config\$6 and scalable and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 14:09
S10	502	((@rlad<"20040330" or @ad<"20040330") and config\$6 and scalable and router and ((programable or process\$3) adj element)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 14:09
S11	297	((@rlad<"20040330" or @ad<"20040330") and config\$6 and scalable and router and ((programable or process\$3) adj element) and (multiplex\$3 or de \$multiplex\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 14:16
S12	1	("2004/0250046").URPN.	USPAT	OR	ON	2007/11/13 14:22
S13	3	("20040250046" "6034538" "6924663").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/13 14:23
S14	250	((@rlad<"20040330" or @ad<"20040330") and heterogenous and (row\$ adj column\$)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 18:55
S15	1	((@rlad<"20040330" or @ad<"20040330") and heterogenous and (row\$ adj column\$) and fir	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 18:56
S16	13	((@rlad<"20040330" or @ad<"20040330") and (row \$ adj column\$) and fft and viterbi and fir	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 18:57

S17	13	((@rlad<"20040330" or @ad<"20040330") and (row \$ adj column\$) and fft and viterbi and fir and fft	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 18:57
S18	2	((@rlad<"20040330" or @ad<"20040330") and (row \$ adj column\$) and fft and viterbi and fir and fft and mux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 18:59
S19	1	((@rlad<"20040330" or @ad<"20040330") and (row \$ adj column\$) and fft and viterbi and fir and fft and mux and configurable	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 19:06
S20	3	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and configurable and overlap and mux	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 19:12
S21	2	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and configurable and overlap and mux and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 19:12
S22	48	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and router and switching	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 19:15
S23	48	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and router and switching	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/13 19:15
S24	1	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and (configurable adj3 circuit)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:27
S25	32	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalability and configurable and circuit and router and pe	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 16:29
S26	47	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and configurable and router and ((process\$3 or programmable) adj "5" element)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:50

S27	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and (torodial near5 connect)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:58
S28	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and torodial	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:36
S29	1	((@rlad<"20040330" or @ad<"20040330") and heterogenous and torodial	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:58
S30	4	((@rlad<"20040330" or @ad<"20040330") and torodial and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:38
S31	35	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and configurable and router and row and column	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:38
S32	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and (torodial near5 connect) and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:58
S33	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and torodial and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:59
S34	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and torodial	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:59
S35	66	((@rlad<"20040330" or @ad<"20040330") and heterogenous and torodial	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:59
S36	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and toroal and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:59
S37	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and torodial and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 09:59
S38	143	((@rlad<"20040330" or @ad<"20040330") and torodial and router	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 10:00

S39	1	((@rlad<"20040330" or @ad<"20040330") and toroidal and router and mux and overlap)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 10:01
S40	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and configurable and router and (overlap or non\$overlap))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 12:30
S41	37	((@rlad<"20040330" or @ad<"20040330") and heterogenous and configurable and router and (overlap or non\$overlap))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 12:30
S42	1	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and configurable and router and (mca or (micro\$coded adj accelerator)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:49
S43	3492	((@rlad<"20040330" or @ad<"20040330") and router and (mca or (micro \$coded adj accelerator)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:50
S44	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and configurable and router and (mca or (micro\$coded adj accelerator)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:51
S45	2	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and router and (mca or (micro\$coded adj accelerator)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:52
S46	2	((@rlad<"20040330" or @ad<"20040330") and heterogenous and scalable and router and (mca or (micro\$coded near5 accelerator)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:53
S47	0	((@rlad<"20040330" or @ad<"20040330") and heterogenous and router and (micro\$coded near5 accelerator))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:54

S48	8	((@riad<"20040330" or @ad<"20040330") and (micro\$coded near5 accelerator)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 15:54
S49	1	"20040090964"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 16:25
S50	0	((@riad<"20040330" or @ad<"20040330") and heterogenous and scalability and configurable and circuit and router and 709/238. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 16:29
S51	4	((@riad<"20040330" or @ad<"20040330") and heterogenous and circuit and router and 709/238. ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/14 16:29

6/18/2008 2:28:13 PM

C:\Documents and Settings\shan1\My Documents\EAST\Workspaces\10813226 heterogeneous building block.wsp